



Fuellmeister.de

Bottling of carbonated beverages

Electro-Pneumatic

MultiFill - VK-EP



Füllmeister GmbH & Co. KG

Am Mühlbach 1

97475 Zeil am Main

Tel.: 0049 (0)9524 - 300 477

Fax.: 0049 (0)9524 - 300 0262

Mobil: 0049 (0)175 - 4018947

e-Mail: info@fuellmeister.de

Homepage: www.fuellmeister.de



Product Lineup

- Beer
- Mineral Water
- Fruit Juice
- Wine




- Rinsing
- Filling
- Sealing
- MultiBlock

Advantages and Brief Machine Description

MF

elektro-pneumatic

MultiFill –VK-EP



- durable desk top and flat roof construction,
- completely made of stainless material
- with or without pre-evacuation pump
- rinsing + filling + sealing as **MultiBlock**.
- security doors made of safety glass
- space-saving, durable and solid

- level adjustment without chains or cardan shaft
- central valve knot, set beside filler
- gush-type jetting for valve and filling range
- rinser can be joined
- lifting cylinder table, open construction with closed compressed air channel, stainless

- container friendly filling valve
- open and clear structure of machine
- removable central lubrication lath with fat reconducting container
- **ClosedCleaningSystem**
- valve control independent from filling angle
- no control rack and guard rings

- no bottle, no vacuum
- closed discharge channel
- leading set easily removable
- crown corker with gushing device
- control display on front side

- efficient and renowned German assemblies:
 - o Siemens S7
 - o serve panel OP 7
 - o Klöckner Moeller
 - o Bosch
 - o Sihi or Elmo-L

carrousel diameter mm		sealer mm		Container diameter		cont. height		capacity
rinser	filler	diameter	divisions	min.	max.	min.	max.	BpH
720 - 960	960	240	107-251	40	150	40	320	max. 8.000
960 - 1.200	1.200	240	107-251	40	150	40	320	max. 15.000
1.800 - 1.440	1.440	360	102-162	40	150	40	320	max. 20.000
1.800 - 2.160	2.160	360	102-162	40	150	40	320	max. 27.000